



Methods for sampling and testing aggregates

Method 18: Crushed particles in coarse aggregate derived from gravel

This is a preview. Click here to purchase the full publication.



AS 1141.18:2022

This Australian Standard ® was prepared by CE-012, Aggregates and Rock for Engineering Purposes. It was approved on behalf of the Council of Standards Australia on 04 February 2022.

This Standard was published on 25 February 2022.

The following are represented on Committee CE-012:

ARRB (Australian Road Research Board)
Ash Development Association of Australia
Australasian (Iron & Steel) Slag Association
Australasian Procurement and Construction Council
Australian Flexible Pavement Association
Australian Geomechanics Society
Austroads

Cement Concrete and Aggregates Australia — Aggregates Cement Concrete and Aggregates Australia — Cement Cement Concrete and Aggregates Australia — Concrete National Association of Testing Authorities Australia University of Technology Sydney

This is a preview. Click here to purchase the full publication.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting: www.standards.org.au

Methods for sampling and testing aggregates

Method 18: Crushed particles in coarse

aggregate derived from gravel

This is a preview. Click here to purchase the full publication.

Originated as AS 1141.18—1996. Second edition AS 1141.18:2022.

© Standards Australia Limited 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee CE-012, Aggregates and Rock for Engineering Purposes, to supersede AS 1141.18—1996.

The objective of this document is to define the method for determining the percentage by mass of crushed and uncrushed particles in aggregate derived from rounded gravel.

This is a preview. Click here to purchase the full publication.