

AS ISO 14692.2:2022  
ISO 14692-2:2017



STANDARDS  
Australia



# Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping

Part 2: C **This is a preview. Click here to purchase the full publication.**



AS ISO 14692.2:2022

This Australian Standard ® was prepared by ME-092, Materials, equipment, structures and related services for petroleum, petrochemical and natural gas industries. It was approved on behalf of the Council of Standards Australia on 20 April 2022.

This Standard was published on 13 May 2022.

The following are represented on Committee ME-092:

- Australian Industry Group
- Australian Organisation for Quality
- Australian Petroleum Production and Exploration Association
- Australian Pipelines and Gas Association
- Department for Energy and Mining, SA
- Department of Mines, Industry Regulation and Safety WA
- DNV-GL Oil and Gas
- Energy Safe Victoria
- Engineers Australia
- National Energy Resources Australia
- Resources Safety & Health Queensland
- University of Western Australia

**This is a preview. Click here to purchase the full publication.**

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

ISBN 978 1 76113 730 3

# Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping

**This is a preview. Click here to purchase the full publication.**

First published as AS ISO 14692.2:2022.

## **COPYRIGHT**

© ISO 2022 — All rights reserved  
© Standards Australia Limited 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

## Preface

This Standard was prepared by the Standards Australia Committee ME-092, Materials, equipment, structures and related services for petroleum, petrochemical and natural gas industries.

The objective of this document is to give requirements for the qualification and manufacture of GRP piping and fittings in order to enable the purchase of GRP components with known and consistent properties from any source.

It is applicable to qualification procedures, preferred dimensions, quality programmes, component marking and documentation.

This document is intended to be read in conjunction with AS ISO 14692.1:2022.

This document is identical with, and has been reproduced from, ISO 14692-2:2017, *Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 2: Qualification and manufacture*.

As this document has been reproduced from an International document, a full point substitutes for a comma when referring to a decimal marker.

Australian normative specific Standards. **This is a preview. Click here to purchase the full publication.** onal h on

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

# Contents

Preface .....	ii
Foreword .....	v
Introduction .....	vi
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
<b>4 Manufacturer's declarations .....</b>	<b>2</b>
4.1 Procedure .....	2
4.2 Long term regression testing .....	4
4.3 Gradient, $G_{xx}$ .....	5
4.4 $MPR_{xx}$ .....	5
4.5 Partial factors .....	5
4.5.1 Partial factor for design lifetime, $A_0$ .....	5
4.5.2 Partial factor for chemical degradation, $A_2$ .....	5
4.5.3 Partial factor for jointing, $A_3$ .....	6
4.5.4 Partial factor for production, $A_4$ .....	6
4.7 Dimensions .....	6
4.8 Baseline values .....	6
4.9 Flexibility factors and SIFs .....	7
4.10 Production processes and jointing instructions .....	7
<b>5 Qualification programme .....</b>	<b>7</b>
5.1 General .....	7
5.2 Scaling rules .....	9
5.3 Product qualification .....	9
5.3.1 Validation of long term envelopes .....	9
5.3.2 Density .....	10
5.3.3 Thermal expansion coefficient .....	10
5.3.4 Qualification procedure for external pressure .....	10
5.4 Elastic properties .....	10
5.4.1 General .....	10
5.4.2 Axial tensile modulus, $E_a$ .....	12
5.4.3 Hoop tensile modulus, $E_h$ , and minor Poisson's ratio, $\nu_{ah}$ .....	12
5.4.4 Major Poisson's ratio, $\nu_{ha}$ .....	12
5.4.5 Circumferential bending modulus, $E_{hb}$ .....	13
5.5 Optional qualification requirements .....	13
5.5.1 Electrical conductivity .....	13
5.5.2 Potable water certification .....	13
5.5.3 Impact resistance .....	13
5.5.4 Qualification procedure for fire performance .....	13
5.5.5 Low temperature performance .....	13
<b>6 Requalification .....</b>	<b>14</b>
<b>7 Quality programme for manufacture .....</b>	<b>15</b>
7.1 General requirements .....	15
7.2 Quality control tests .....	16
7.2.1 General .....	16
7.2.2 Mill hydrostatic test for pipes .....	16
7.2.3 Mill hydrostatic test for spoolpieces .....	16
7.2.4 Degree of cure .....	16
7.2.5 Barcol hardness .....	17
7.2.6 Glass content .....	17
7.2.7 Visual inspection .....	17

**This is a preview. Click here to purchase the full publication.**

7.2.8	Key component dimensions .....	18
7.2.9	Retest .....	19
7.3	Optional quality control tests .....	20
7.3.1	Electrical conductivity per length .....	20
7.3.2	Fire performance .....	21
7.3.3	Residual styrene monomer content .....	21
7.3.4	Additional quality control tests .....	21
<b>8</b>	<b>Component marking .....</b>	<b>22</b>
<b>9</b>	<b>Handling, storage and transportation .....</b>	<b>22</b>
<b>10</b>	<b>Documentation .....</b>	<b>22</b>
10.1	General .....	22
10.2	Enquiry and purchase order documentation .....	22
10.3	Qualification documentation .....	22
10.3.1	General .....	22
10.3.2	Qualification reports .....	22
10.3.3	Potable water approval certificates .....	23
10.4	Production quality control documentation .....	23
10.4.1	General .....	23
<b>This is a preview. Click here to purchase the full publication.</b>		23
10.4.4	Production quality control reports .....	23
10.5	Installation documentation .....	23
<b>Annex A</b>	(normative) <b>Gradients and temperature limits .....</b>	<b>24</b>
<b>Annex B</b>	(normative) <b>Long term envelope data points .....</b>	<b>29</b>
<b>Annex C</b>	(normative) <b>Survival tests .....</b>	<b>34</b>
<b>Annex D</b>	(normative) <b>Scaling rules .....</b>	<b>39</b>
<b>Annex E</b>	(normative) <b>Representative products .....</b>	<b>50</b>
<b>Annex F</b>	(normative) <b>Flange qualification .....</b>	<b>53</b>
<b>Annex G</b>	(normative) <b>Major Poisson's ratio .....</b>	<b>56</b>
<b>Annex H</b>	(normative) <b>Fire endurance testing .....</b>	<b>59</b>
<b>Annex I</b>	(normative) <b>Alternate material qualification .....</b>	<b>68</b>
<b>Annex J</b>	(normative) <b>Visual inspection .....</b>	<b>74</b>
<b>Annex K</b>	(informative) <b>Example of qualification summary form .....</b>	<b>78</b>
<b>Bibliography .....</b>		<b>80</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any **This is a preview. Click here to purchase the full publication.** and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 6, *Processing equipment and systems*.

This second edition cancels and replaces the first edition (ISO 14692-2:2002), which has been technically revised. It also incorporates the Technical Corrigendum ISO 14692-2:2002/Cor 1:2005.

A list of all the parts of ISO 14692 can be found on the ISO website.

## Introduction

The objective of this document is to enable the purchase of GRP components with known and consistent properties from any source. Main users of this document will be the principal and the manufacturer, certifying authorities and government agencies.

The qualification programme and the quality programme are the most significant clauses in this document.

**This is a preview. [Click here to purchase the full publication.](#)**



# Australian Standard®

## Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping

### Part 2: Qualification and manufacture

#### 1 Scope

This document gives requirements for the qualification and manufacture of GRP piping and fittings in order to enable the purchase of GRP components with known and consistent properties from any source.

It is applicable to qualification procedures, preferred dimensions, quality programmes, component marking and documentation.

This document is intended to be read in conjunction with ISO 14692-1.

#### 2 Normative references

The **This is a preview. Click here to purchase the full publication.** their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 834-1, *Fire-resistance tests — Elements of building construction — Part 1: General requirements*

ISO 1172, *Textile-glass-reinforced plastics — Prepregs, moulding compounds and laminates — Determination of the textile-glass and mineral-filler content — Calcination methods*

ISO 4901, *Reinforced plastics based on unsaturated-polyester resins — Determination of the residual styrene monomer content, as well as the content of other volatile aromatic hydrocarbons, by gas chromatography*

ISO 11357-2, *Plastics — Differential scanning calorimetry (DSC) — Part 2: Determination of glass transition temperature and glass transition step height*

ISO 11359-2, *Plastics — Thermomechanical analysis (TMA) — Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature*

ISO 14130, *Fibre-reinforced plastic composites — Determination of apparent interlaminar shear strength by short-beam method*

ISO 14692-1:2017, *Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 1: Vocabulary, symbols, applications and materials*

ISO 14692-3:2017, *Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 3: System design*

ISO 14692-4:2017, *Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 4: Fabrication, installation, inspection and maintenance*

API 15HR, *Specification for high pressure fiberglass line pipe*, Fourth Edition

ASME RTP-1-2007, *Reinforced thermoset plastic corrosion-resistant equipment*

ASTM D638, *Standard test method for tensile properties of plastics*

ASTM D696, *Standard test method for coefficient of linear thermal expansion of plastics between –30 °C and 30 °C with a vitreous silica dilatometer*

ASTM D1598, *Standard Test Method for Time-to-Failure of Plastic Pipe Under Constant Internal Pressure*

ASTM D2105, *Standard test method for longitudinal tensile properties of “fiberglass” (glass-fiber-reinforced thermosetting-resin) pipe and tube*

ASTM D2412, *Standard test method for determination of external loading characteristics of plastic pipe by parallel-plate loading*

ASTM D2583, *Standard test method for indentation hardness of rigid plastics by means of a barcol impressor*

ASTM D2992, *Standard practice for obtaining hydrostatic or pressure design basis for “fiberglass” (glass-fiber-reinforced thermosetting-resin) pipe and fittings*

ASTM D3567, *Standard practice for determining dimensions of “fiberglass” (glass-fiber-reinforced thermosetting resin) pipe and fittings*

ASTM E1529, *Standard test methods for determining effects of large hydrocarbon pool fires on structural members and assemblies*

IMO MSC.61(67), *Adoption of the International Code for application of fire test procedures*

IMO Resolution A.653(16), *Fire test procedures for surface flammability of bulkhead, ceiling and deck finish materials as amended by Resolution IMO MSC.61(67): Annex 1 Part 5*

**This is a preview. Click here to purchase the full publication.**

### 3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the terms, definitions, symbols and abbreviated terms given in ISO 14692-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

## 4 Manufacturer's declarations

### 4.1 Procedure

Prior to the start of the qualification programme, the manufacturer shall declare:

- a)  $G_{xx}$ ;
- b)  $MPR_{xx}$ ;
- c) the long term envelope data points;
- d) the threshold envelope data points;
- e) dimensional data;
- f) baseline values for degree of cure, barcol hardness (GRUP and GRVE only) and glass content, where applicable.

The data shall be based on a standard design life of 20 years. [Figure 1](#) provides a flowchart of the procedure for declaring the manufacturer's data.