



Australian/New Zealand Standard™

Reeling, trailing and feeder cables used for m This is a preview. Click here to purchase the full publication. of accessories



AS/NZS 1747:2022

This Joint Australian/New Zealand Standard[™] was prepared by Joint Technical Committee EL-023, EL-023 Electrical Equipment in Mines and Quarries. It was approved on behalf of the Council of Standards Australia on 07 January 2022 and by the New Zealand Standards Approval Board on 01 December 2021.

This Standard was published on 28 January 2022.

The following are represented on Committee EL-023:

Australian Cablemakers Association

Australian Chamber of Commerce and Industry

Australian Industry Group

Aviation and Marine Engineers Association

Better Regulation Division (Fair Trading, Safework NSW, TestSafe)

Construction Forestry Miners and Energy Union

Department of Mines, Industry Regulation and Safety WA

Department of Regional NSW

Engineering New Zealand

Engineers Australia

Engineers Australia / Mining Electrical and Mining Mechanical Engineering Society

Minerals Council of Australia

This is a preview. Click here to purchase the full publication.

Oniversity of Newcastie WorkSafe New Zealand

This Standard was issued in draft form for comment as DR AS/NZS 1747:2021.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

Australian/New Zealand Standard™

Reeling, trailing and feeder cables used for mining —

This is a preview. Click here to purchase the full publication.

accessories

Originated as AS 1747—1975. Fourth edition 1993. Jointly revised and designated as AS/NZS 1747:2003. Second edition 2022.

@ Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-023-03, Cables, Couplers and Receptacles, to supersede AS/NZS 1747:2003, Reeling, trailing and feeder cables used for mining—Repair and testing.

The objective of this document is to provide standard procedures for the repair and testing of reeling, trailing and feeder cables used in mining applications, and to establish requirements for the repair of cables which will ensure that the repaired cable is returned to a condition as near as possible to the original design. It also sets out requirements for the fitting of accessories to these cables.

This document differs from the previous edition in the following significant ways:

- (a) Reference to AS/NZS 60079 standards has been included.
- (b) Definitions for Competent Person, Responsible Person, Insulation Earth Screens, Insulation Stress Relief Screens and Twist Test have been included.
- (c) The reference to Spark test has been changed to Sheath Test throughout this standard.
- (d) Description This is a preview. Click here to purchase the full publication.
- (e) A new <u>Clause 2.5</u>, *Inspection of cable accessories*, has been included.
- (f) A new <u>Clause 3.7</u>, Joining pilot conductors and control conductors other than reeling cables, has been included.
- (g) A new <u>Clause 3.11</u>, Joining of PILSWA and XPLE armoured cables, has been included.
- (h) A new <u>Clause 3.19</u>, *Replacement of outer rubber sheath only*, has been included.
- (i) A new <u>Clause 3.20</u>, *Replacement/repair of PVC outer sheath*, has been included.
- (j) Plug inspections have been divided into <u>Clauses 4.2</u>, Plug inspection external, 4.3, Plug inspection internal, 4.4, Flamepath inspection, and 4.5, Tail inspection.
- (k) The phase rotation of power conductors in plugs has been defined.
- (l) Flameproofing has been changed to explosion protection.
- (m) A new <u>Clause 5.2</u>, *HV Connections*, has been included.
- (n) The high voltage proof test voltage for 1.1kV cables has been increased from 3.5kV DC to 5kV DC.
- (o) A new <u>Clause 5.3</u>, *Discharge times*, has been included.
- (p) The application of fault location pulses has been changed.
- (q) A test time has been included to the High voltage proof test table.
- (r) A new <u>Table 5.8</u> Test voltages for high voltage proof test on PILSWA and XLPE cable, has been included.
- (s) New connection diagrams have been included for insulation tests and proof testing.
- (t) The minimum insulation resistance value for 1.1kV cables has been increased to 250 m Ω .
- (u) Testing of pilot conductors now includes control cores.
- (v) Test times have been included to the minimum insulation resistance table.
- (w) The practicability of symmetrical load and Partial break testing has been included.

- (x) New marking codes for outer sheath repair, single ferrule and long hand splice have been included in section 6.
- (y) AS/NZS 1747:2003 section 7, *Temporary sheath repairs*, has been deleted.
- (z) A new <u>Section 7</u>, *Responsible person*, has been included.
- (aa) Appendix A has been expanded and a rating matrix has been included in Appendix G.
- (bb) Appendix F has been amended.
- (cc) Discharge stick and earth bridging leads have been included in Appendices H and I.
- (dd) AS/NZS 1747:2003 Appendix J, Combined resistance of earth conductors, has been deleted.
- (ee) New Appendix I has been included for measuring equipment.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

This is a preview. Click here to purchase the full publication.

Contents

Preface		11
Section 1	Scope and general	1
1.1	Scope	
1.2	Normative references	
1.3	Terms and definitions	1
Section 2	Evaluation before repair and history record	6
2.1	Requirements	
2.2	History record	
2.3	Visual examination	
2.4	Pre-repair tests	6
2.5	Inspection of cable accessories	6
2.6	Practicability of repair	6
Section 3	Repair procedures for cables	7
3.1	Compatibility of cables to be joined	
3.2	Use of cleaning solvents	
3.3	This is a preview. Click here to purchase the full publication.	7 7
	3.3.2 Solder and flux	7
	3.3.3 Technique	
3.4	Joining by exothermic welding	
3.5	Joining by hard soldering	
3.6	Joining pilot and control conductors (for reeling cables)	
	3.6.1 Single central (extensible) pilot conductors	/
	3.6.2 Multiple central pilot conductors	
3.7	3.6.3 Interstitial pilot and control conductors	
3.8	Joining pilot and control conductors (other than reeling cables) Joining power conductors of all reeling and trailing cables	O
3.0	3.8.1 Power conductors having less than 19 bunches	
	3.8.2 Power conductors having 19 or more bunches	
3.9	Joining power conductors of feeder cables	
	Joining earth conductors (excluding earth screens)	
3.11	Joining of PILSWA and XPLE armoured cables	18
3.12		
3.13		20
	3.13.1 General	
	3.13.2 Repair of screen by ferrules	21
	3.13.3 Repair of metallic screen without ferrules	23
3.14		25
3.15		
3.16	1	
3.17	, 01	
3.18	1	
3.19		
3.20		
	3.20.1 General	
	3.20.2 Use of repair tape	
3.21	3.20.3 Plastic weld repairVulcanizing	
Section 4	Inspection, fitting and replacement of plugs, couplers and other cable	31
	essories	32
4.1	General	
4.2	Plug inspection external	
4.3	Plug inspection internal	

	Flamepath inspection	
4.5	Tail inspection	
4.6	4.5.1 Cables fitted with tails	
4.6	Plug fitting 4.6.1 General	
	4.6.2 Power cores	
	4.6.3 Earth screens and conductors	
	4.6.4 Pilot cores	
	4.6.5 Sheath protrusion and clamping	35
4.7	Compounds	35
Section 5	Testing	36
5.1	General	36
5.2	HV connections	
5.3	Discharge times	
5.4 5.5	Test equipment Tests to be carried out	
5.5	5.5.1 Underground mining cables	
	5.5.2 XLPE and paper lead cables	
	5.5.3 Surface mining cables	37
This	is a preview. Click here to purchase the full publication.	37
	5.6.1 General	
	5.6.2 Equipment 5.6.3 Application of fault location test	
	5.6.4 Authorization to exceed appropriate voltage pulse	
5.7	Continuity and phase rotation tests	39
5.8	Insulation resistance test	39
	5.8.1 General	
	5.8.2 Testing of power conductors	
	5.8.3 Testing of pilot/control conductors	
5.9	5.8.4 Requirements	
3.9	5.9.1 Power conductors	
	5.9.2 Pilot/control conductors	
5.10	Symmetrical load test	42
5.11		
5.12		
	5.12.1 General	
	5.12.3 Sheath visual inspection (surface mining cables) and armoured or PVC sheathed cables	
5.13		
Section 6	Identification of repairs	45
6.1	Method of marking	
6.2	Information to be marked	
Section 7	Responsible person	46
Appendix A	(informative) Computer database cable history information	47
	(normative) Requirements for ferrules	
Appendix C	(normative) Requirements for solder and flux	51
	(informative) Procedure for exothermic welding)	
Appendix E	(informative) A procedure for hard soldering	54
	(normative) Repair materials and tapes	
Appendix 6	(informative) Assessing cable condition	58

Appendix H (normative) Requirements for test equipment	61
Appendix I (normative) Routine tests on test equipment	63
Appendix J (normative) Routine tests on measuring equipment	65

This is a preview. Click here to purchase the full publication.

Australian/New Zealand Standard

Reeling, trailing and feeder cables used for mining — Repair, testing and fitting of accessories

Section 1 Scope and general

1.1 Scope

This document sets out requirements for the repair and testing of reeling, trailing and feeder cables used in underground coal mines, metalliferous mines, open cut mines, tunnelling, quarries and dredges. This document also details the requirements for the inspection, fitting and replacement of plugs, couplers fitted to the cables and for the test equipment used for testing cables.

Where type or code numbers are referred to in this document for cables, the numbers are as specified in AS/NZS 1802, AS/NZS 2802 and AS/NZS 1972.

NOTE 1 The Standard applies particularly to reeling and trailing cables conforming to AS/NZS 1802 and AS/NZS 2802, and to cables with similar constructions conforming to AS/NZS 1972, but is not restricted in appli

This is a preview. Click here to purchase the full publication.

NOT

This is a preview. Click here to purchase the full publication.

In the alternative thermoplastic sheath materials.

NOTE 3 Where reference is made to plugs in this standard, it also refers to receptacles, bolted couplers and adaptors.

1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

AS 1683.15.2, Methods of test for elastomers, Method 15.2: Durometer hardness

AS 1834.1, Material for soldering, Part 1: Solder alloys

AS/NZS 1299, Electrical equipment for mines and quarries — Explosion-protected three-phase restrained plugs and receptacles for working voltages up to and including 3.3. kV

AS/NZS 1300, Electrical equipment for mines and quarries — Bolted explosion-protected three-phase cable coupling devices

AS/NZS 1802, Electric cables — Reeling and trailing — For underground coal mining

AS/NZS 1972, Electric cables — Underground coal mines — Other than reeling and trailing

AS/NZS 2802, Electric cables — Reeling and trailing — For mining and general use (other than underground coal mining)

AS/NZS 60079.7, Explosive atmospheres, Part 7: Equipment protection by increased safety 'e'

1.3 Terms and definitions

For the purpose of this document, the following terms and definitions apply:

1.3.1

arduous flexing

cable under constant flexing up to but not exceeding its minimum bend radius