AS/NZS 2658:2022





## Australian/New Zealand Standard™

## LP Gas — Portable and mobile appliances This is a preview. Click here to purchase the full publication.



#### AS/NZS 2658:2022

This Joint Australian/New Zealand Standard<sup>™</sup> was prepared by Joint Technical Committee AG-001, Gas Appliances. It was approved on behalf of the Council of Standards Australia on 01 December 2021 and by the New Zealand Standards Approval Board on 15 December 2021.

This Standard was published on 28 January 2022.

The following are represented on Committee AG-001:

Association of Accredited Certification Bodies

Australian Industry Group

Better Regulation Division (Fair Trading, Safework NSW, TestSafe)

Consumer Electronics Suppliers Association

Department of Mines, Industry Regulation and Safety — Building and Energy WA

Energy Networks Australia

Gas Appliance Manufacturers Association of Australia

Gas Association of New Zealand

Gas Energy Australia

Gas Technical Regulators Committee

Gas Utilisation Institute, New Zealand

Joint Accreditation System of Australia and New Zealand

## This is a preview. Click here to purchase the full publication.

This Standard was issued in draft form for comment as DR AS/NZS 2658:2020.

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

## Australian/New Zealand Standard™

# LP Gas — Portable and mobile appliances

This is a preview. Click here to purchase the full publication.

Originated as AG 113—1978. Previous edition AS 2658—2008. Jointly revised and redesignated as AS/NZS 2658:2022.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

#### **Preface**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AG-001, Gas appliances to supersede AS 2658—2008, *LP Gas—Portable and mobile appliances*.

The objective of this document is to provide uniform minimum requirements for the safe design and performance of LP Gas portable and mobile appliances supplied with gas at vapour pressure.

This document should not be regarded as a design specification or as an instruction manual.

In its preparation, consideration has been given to —

- (a) continuity of satisfactory operation of appliances and equipment;
- (b) the prevention of fire hazards, and explosions;
- (c) the prevention of injury to persons or property;
- (d) gas rules and regulations now in force; and
- (e) This is a preview. Click here to purchase the full publication.
- (i) A general alignment of general structure with AS/NZS 5263.0.
- (ii) A clarification of the scope and requirements to ensure appliances under this document are not to be installed.
- (iii) Requirements for butane cookers modified to address risks of overheating of cartridges.
- (iv) Requirements for heaters included to address risks related to use in tents and enclosed spaces.
- (v) Requirements for water heaters updated to clarify usage.

The terms "normative" and "informative" are used in Standards to define the application of the appendices to which they apply. A "normative" appendix is an integral part of a Standard, whereas an "informative" appendix is only for information and guidance.

## **Contents**

Preface		ii
Section 1	Scope and general	1
1.1	Scope and application	1
	1.1.1 Scope	
	1.1.2 Application	
1.2	Normative references	
1.3	Terms and definitions	
1.4	Test methods	
Section 2	Design and construction requirements	
2.1	Scope	
2.2	General design requirements	
	2.2.1 Portable appliances	
	2.2.3 Adequacy of means of support	
	2.2.4 Displacement of parts	
	2.2.5 Cas manifolds	
This	is a preview. Click here to purchase the full publication.	10
	2.2.8 Cooking grids	_
2.3	Materials	11
	2.3.1 Jointing	
	2.3.2 Suitability of materials and finishes	
	2.3.3 Materials containing asbestos	
	2.3.4 Materials in contact with gas	
	2.3.5 Materials in contact with food	
	2.3.7 Zinc-based alloys	
2.4	Design for assembly	
2.1	2.4.1 Connection to appliance and gas container	
	2.4.2 Appliance connections to non-refillable containers	
	2.4.3 Assembly	
	2.4.4 Prevention of incorrect assembly	
	2.4.5 User adjustment for different gases	
2.5	Design for maintenance	
	2.5.1 Injectors	
	2.5.2 Dismantling and replacement by user	12
	2.5.3 Cleaning, maintenance and removability of parts by an authorized person 2.5.4 Viewing of burner flames	
	2.5.5 Removable components	
2.6	Design for operation	
2.0	2.6.1 Accessibility of controls and working parts	
	2.6.2 Proving of burner ignition	
	2.6.3 Control valve	
	2.6.4 Gas control	
	2.6.5 Prevention of injury during ignition	
2.7	Controls and safety devices	
	2.7.1 Adjusting devices	
	2.7.2 Safety devices and interlocks	
2.8	2.7.3 Safety shut off valve bypass Gas train	
4.0	2.8.1 Holes for screws, pins and other fasteners	
	2.8.2 Soft solder	
	2.8.3 Appliances connected to the gas container by a flexible hose assembly	
	2.8.4 Jointing	

	2.8.5 Metal-to-metal joint or joints with seals	15
2.0	2.8.6 Compression fittings	
2.9	Burners and ignition systems	
	2.9.1 Burners and radiant elements	
	2.9.2 Burner mixing tubes	
	2.9.3 Flash lighting systems and cross lighting devices	
	2.9.4 Accumulation of unburnt gas	
2.10	2.9.5 Support of pilots, igniters and flame sensing devices	
2.10	2.10.1 Safety components	
	2.10.2 Limitation of gas flow	
2.11		
2.11	2.11.1 Appliances connected directly to a gas cartridge	
	2.11.2 Appliances directly fitted to a pierceable gas cartridge	
	2.11.3 Locations and compartments for gas containers	
	2.11.4 Gas containers supplied with the appliance	
2.12		
	2.12.1 Language	
	2.12.2 Appliance markings	17
ı	This is a previous Clieb have to purchase the full publication	18
	This is a preview. Click here to purchase the full publication.  2.12.5 Marking of control valves	
	2.12.6 Identification of injectors	
2.13	Instructions	
2.10	2.13.1 Language	
	2.13.2 Instructions supplied with appliance	
	2.13.3 Assembly	
Section 3	Preliminary tests	
3.1	Test gases	24
	3.1.1 Appliances operating from a cylinder or refillable container	
	3.1.2 Appliances operating from a non-refillable container	
3.2	Test conditions	
	3.2.1 Appliances intended for use with non-refillable containers	
	3.2.2 Appliances intended for use with refillable containers	26
	3.2.3 Appliances supplied with gas from a refillable container and using a	
0.0	regulator	27
3.3	Preparation for testing	
	3.3.1 Initial test order	
	3.3.2 Setting up an appliance for testing	
	3.3.3 Appliance regulators not to be removed during testing	
	3.3.5 Prevention of gas rate variation	
3.4	Gas leakage	
3.5	Gas consumption	
3.6	Ignition and safety shut off systems	
<b>Section 4</b> 4.1	Test under limiting conditions Sooting	
4.1	CO/CO <sub>2</sub> ratio limits for any independent surface combustion burner — Underload	
4.3	CO/CO <sub>2</sub> ratio limits for any independent burner — Normal	
4.4	CO/CO <sub>2</sub> ratio limits for independent burner — Overload	
4.5	Flame characteristics at maximum and minimum limiting conditions	
4.6	Burner ignition at maximum and minimum limiting conditions	
4.7	Delayed ignition	
	Reignition at turndown under draught conditions	
4.9	Burner stability when changing setting	
4.10		
Section 5	Parformance enecifications	21

5.1	Condensate	
5.2	Temperature hazards	
	5.2.1 General	
	5.2.2 Floor, wall, overhead and bench surfaces	
	5.2.3 Surfaces intended to be handled	
	5.2.4 Temperatures of surfaces likely to be accidentally touched	
	5.2.5 Temperatures of components	32
	5.2.6 Gas container safety at overload gas consumption	
5.3	Heat resistance of appliance	33
	5.3.1 Normal operation	
	5.3.2 Light back operation	
5.4	Durability	
	5.4.1 Zinc-based alloys	
	5.4.2 Durability of permanent markings	
	5.4.3 Needle valves — Gas leakage	
5.5	Strength and stability	
	5.5.1 Stability	
	5.5.2 Gas systems — Resistance to displacement from vibration	
	5.5.3 Cooking grid strength	34
Sect This	is a preview. Click here to purchase the full publication.	35
		33
	6.1.1 Turndown control	
	6.1.2 Resistance to liquid spillage	
	6.1.3 Pan stability	
	6.1.4 Pan supports	
6.2	Ovens	35
	6.2.1 Flame safeguards for cooker ovens	
	6.2.2 Shelves	
	6.2.3 Shelf supports	
( )	6.2.4 Fitting of thermostat	
6.3	Strength — Applied load	
6.4	Additional requirements for cookers with enclosed cartridges	
	6.4.1 Overpressure protection 6.4.2 Pan support	
	6.4.3 Instructions	
	6.4.4 Markings	
		30
	6.4.6 Cartridge — Maximum pressure	
	6.4.7 Durability	
	6.4.8 Retaining springs for cartridge retention mechanism	
	6.4.9 Protection of cartridge retention and overpressure safety device mechanism	
	6.4.10 Drop test	
Castina 7	•	
Section 7	Additional requirements for heaters  Gas consumption	
7.1 7.2	Controls and safety devices	
7.2	Flame safeguards	
7.3 7.4	Enclosed fuel storage	
7.5	Marking	
7.5	7.5.1 Warning label	
	7.5.2 Carbon monoxide warning — Turndown using cylinder valve	
7.6	Vitiation	
7.0	7.6.1 Operation of oxygen depletion system — Heaters with gas consumption in	40
	excess of 6 MJ/h	40
	7.6.2 Vitiation — All heaters	
7.7	Primary guard	
	7.7.1 General	
	7.7.2 Attachment to the appliance	

	7.7.3 Openings in a primary guard	40
	7.7.4 Temperature limits	41
	7.7.5 Ignition of draped fabric	41
	7.7.6 Glass components	
	7.7.7 Exposed surfaces	
7.8	Additional requirements for heaters with enclosed cartridge	
	7.8.1 Overpressure protection	
	7.8.2 Tip over switch	
	7.8.3 Durability	
	7.8.4 Retaining springs for cartridge retention mechanism	
7.0	7.8.5 Protection of cartridge retention and overpressure safety device mechanisms	
7.9	Drop test	
Section 8	Additional requirements for barbecues	43
8.1	Mechanical design	43
	8.1.1 Provision and location of grease receptacle	
	8.1.2 Design to prevent ignition of accumulated grease	
	8.1.3 Protection of ports and injectors	
	8.1.4 Glass components — Resistance to mechanical shock	43
	8.1.5 Glass components — Resistance to thermal shock	43
8.2		43
8.3	8.3.1 Hood handles	44
	8.3.2 Grease receptacle	
	•	
Section 9	Additional requirements for water heaters	45
9.1	Gas consumption	
9.2	Prohibited construction	
	9.2.1 Installation — Mounting	
	9.2.2 Flueing	
9.3	Materials	
9.4	Complete apparatus	
9.5	Tip over switch	
9.6	Restrictions of openings in appliance	
9.7	Safety shut off system	
9.8	Thermostats	
9.9	Automatic gas shut off systems	
	9.9.1 Provision of automatic gas shut off system	46
	9.9.2 Type of automatic gas shut off system	46
0.10	9.9.3 Surface mounted automatic shut off devices	
9.10	Pressure relief ————————————————————————————————————	40
	litre of water	16
	9.10.2 Relief device — Unvented water heaters containing not more than one	40
	litre of water	1.6
9.11		
9.12		
7.12	9.12.1 Outlet water temperature	
	9.12.2 Maximum water temperature	
9.13		
9.14		
,. <u></u> 1	9.14.1 Main burner ignition under wind conditions	
9.15		
9.16		
2.20	9.16.1 Operation after and during simulated rainstorm	
	9.16.2 Operation during spraying with a shower rose	
9.17		
9.18		
	9.18.1 Appliances not intended for the supply of drinking water	

9.18.2 Warning related to water temperature	48
9.18.3 Unvented water heaters	
9.18.4 Warning labels	48
9.18.5 Prohibited installation means	48
Section 10 Additional requirements for gas lights	49
10.1 Markings	49
10.2 Durability	
10.3 Mantles	49
Section 11 Requirements for hand-held heating tools	50
11.1 General	
11.2 Markings	50
11.2.1 General	
11.2.2 Markings on packaging of hand-held heating tools	50
11.3 Gas flow control	50
11.4 Storage case or container	
11.5 Cleaning, maintenance and removability of parts designed to be replaced	
11.6 Temperature hazards	
11.7 Heat resistance	
This is a provious Click hard to purchase the full publication	51
This is a preview. Click here to purchase the full publication.	51
11.10 Gas to be turned on when control is released	51
11.11 Resistance to spitting	
11.12 Burning behaviour	
11.12.1 Burners — Light back condition	
11.12.2 Flaring, burning and distortion	
11.14 Refillable containers	
11.15 Pressure test — Tools with integral container	
11.16 Drop test	
•	
Appendix A (normative) Figures A.1 to A.11	
Appendix B (normative) Methods of test	68
Appendix C (normative) Testing apparatus for primary guards	124
Appendix D (normative) Diagrammatical representations of outdoor areas	126
Appendix E (informative) Background to the test gas pressures in Section 3	129
Bibliography	131

This is a preview. Click here to purchase the full publication.

## Australian/New Zealand Standard

### LP Gas — Portable and mobile appliances

#### **Section 1 Scope and general**

#### 1.1 Scope and application

#### 1.1.1 Scope

This document specifies the general requirements and test methods for portable and mobile appliances which use vaporized LP Gas as a fuel. The gas pressure at the injector orifice may be regulated or at vapour pressure.

This document applies where LP Gas is supplied to the appliance —

- (a) from a separate non-refillable gas container, conforming to EN 417, UL 147A/B, DOT 39 LP (up to 2 L water capacity) or equivalent, at the vapour pressure to the inlet of the appliance;
- (b) from a separate gas container conforming to AS 2030.1 (or equivalent) connected directly or This is a preview. Click here to purchase the full publication.
- (c) from an integral gas supply with gas storage in excess of 50 mL water capacity.

Additional specific requirements are specified for the following appliances types:

- (i) Cooking appliances (hotplates, ovens, grills, barbecues).
- (ii) Small radiant heating appliances (heaters) designed for outdoor use.
- (iii) Gas lights designed for outdoor use.
- (iv) Portable water heaters designed for outdoor use.
- (v) Hand-held heating tools.

This document excludes the following:

- (A) Appliances intended for connections to a flue for the discharge of combustion products.
- (B) Appliances intended for connection to fixed piping systems for gas and/or water supply.
- (C) Appliances having an integral gas supply of 50 mL or less water capacity.
  - NOTE 1 These appliances are subject to statutory requirements.
- (D) Gas refrigerators.
- (E) Appliances intended for connections to mains electrical supply.
- (F) Appliances incorporating an enclosed cartridge and are intended for commercial use.
- (G) Appliances using fan assisted combustion systems.
- NOTE 2 Requirements for storage and handling of LP Gas indoors and outdoors are specified in AS/NZS 1596.
- NOTE 3 Requirements for gas cylinders are specified in AS 2030 (series).
- NOTE 4 Requirements for installed cooking appliances designed to operate with regulated inlet pressure are specified in AS/NZS 5263.1.1.
- NOTE 5 Requirements for installed water heaters designed to operate with regulated inlet pressure are specified in AS/NZS 5263.1.2.